

---

## Contents

|                       |      |
|-----------------------|------|
| <b>Foreword</b> ..... | xv   |
| <b>Preface</b> .....  | xvii |

---

### Part I Benchmarks

---

|  |    |
|--|----|
| <b>1 ISPD 2005/2006 Placement Benchmarks</b> .....                                     | 3  |
| 1.1 Introduction .....   | 3  |
| 1.2 ISPD 2005 Placement Contest and Benchmark .....                                    | 4  |
| 1.3 ISPD 2006 Placement Contest and Benchmark .....                                    | 7  |
| 1.4 ISPD Placement Contest Results .....   | 8  |
| References .....   | 11 |
| <b>2 Locality and Utilization in Placement Suboptimality</b> .....                     | 13 |
| 2.1 Introduction .....   | 13 |
| 2.2 Peko-MC Benchmark Construction .....   | 15 |
| 2.2.1 Monotone Chains .....  | 15 |
| 2.2.2 The Peko-MC Algorithm .....  | 16 |
| 2.3 Peko-MS Benchmark Construction .....   | 17 |
| 2.4 Experiments .....  | 22 |
| 2.4.1 Nonlocal Nets (Peko-MC) .....  | 23 |
| 2.4.2 Parametrized White Space (Peko-MS) .....   | 25 |
| 2.4.3 Suboptimality Under Both Parametrized White Space<br>and Nonlocal Nets .....     | 25 |
| 2.4.4 Suboptimality of Detailed Placement .....  | 27 |
| 2.4.5 HPWL Suboptimality Comparison of Leading Academic<br>Tools on Peko-MS 2005 ..... | 29 |
| 2.4.6 Suboptimality of Routability-Aware Placement .....                               | 31 |
| 2.5 Conclusions .....  | 34 |
| 2.6 Acknowledgments .....  | 35 |

|                  |    |
|------------------|----|
| References ..... | 35 |
|------------------|----|

---

## Part II Flat Placement Techniques

---

|  |    |
|--|----|
| <b>3 DPlace: Anchor Cell-Based Quadratic Placement with Linear Objective</b> .....           | 39 |
| 3.1 Introduction .....   | 39 |
| 3.2 Preliminaries and the Motivation .....   | 41 |
| 3.2.1 Quadratic Placement .....  | 41 |
| 3.2.2 Force-Directed Quadratic Placement .....   | 42 |
| 3.2.3 The Proposed Approach .....  | 44 |
| 3.3 Global Placement in DPlace .....   | 45 |
| 3.3.1 Diffusion Preplacement .....   | 45 |
| 3.3.2 Anchor Cells .....   | 46 |
| 3.3.3 Unconstrained Wire Length Minimization .....   | 48 |
| 3.3.4 HPWL Transformation in a Quadratic System .....  | 50 |
| 3.3.5 Fixed Blockages .....  | 51 |
| 3.3.6 Wire Length Improvement Heuristics .....   | 52 |
| 3.4 Legalization and Detailed Placement .....  | 53 |
| 3.5 Overall Algorithm .....  | 53 |
| 3.6 Experiments .....  | 53 |
| 3.6.1 Advantages of our New Formulation .....  | 53 |
| 3.6.2 ISPD Placement Contest Benchmarks .....  | 55 |
| 3.6.3 PEKO-MS Benchmarks .....   | 55 |
| 3.7 Conclusions .....  | 56 |
| References .....   | 57 |
| <br>   |    |
| <b>4 Kraftwerk: A Fast and Robust Quadratic Placer Using an Exact Linear Net Model</b> ..... | 59 |
| 4.1 Introduction .....   | 59 |
| 4.2 Net Model .....  | 62 |
| 4.2.1 Clique Net Model .....   | 63 |
| 4.2.2 BoundingBox Net Model .....  | 65 |
| 4.2.3 Advantages of the BoundingBox Net Model .....  | 66 |
| 4.3 Quadratic Placement Methodology .....  | 67 |
| 4.3.1 Additional Forces .....  | 68 |
| 4.3.2 Proof of Convergence .....   | 71 |
| 4.4 Implementation Details .....   | 72 |
| 4.4.1 Engineering Change Order .....   | 72 |
| 4.4.2 Quality Control .....  | 74 |
| 4.4.3 Spring Constants of the Target Points .....  | 75 |
| 4.4.4 Convergence Plot .....   | 76 |
| 4.4.5 Control of the Module Density .....  | 78 |
| 4.5 Experimental Results .....   | 81 |

|       |  |    |
|-------|--|----|
| 4.5.1 | Clique and BoundingBox Net Model ..... | 82 |
| 4.5.2 | ISPD 2005 Contest Benchmarks .....     | 82 |
| 4.5.3 | ISPD 2006 Contest Benchmarks .....     | 83 |
| 4.5.4 | PEKO-MS ISPD 2005 Benchmarks .....     | 85 |
| 4.5.5 | PEKO-MS ISPD 2006 Benchmarks .....     | 88 |
| 4.5.6 | Computational Complexity .....         | 90 |
| 4.6   | Conclusion .....                       | 90 |
|       | References .....                       | 91 |

---

### Part III Top-Down Partitioning-Based Techniques

---

|          |   |           |
|----------|---|-----------|
| <b>5</b> | <b>Capo: Congestion-Driven Placement for Standard-cell and RTL Netlists with Incremental Capability .....</b> | <b>97</b> |
| 5.1      | Introduction .....  | 97        |
| 5.2      | Min-Cut Placement in Capo .....   | 99        |
| 5.2.1    | Row-Based Placement .....   | 99        |
| 5.2.2    | Min-Cut Bisection .....   | 99        |
| 5.3      | Floorplacement .....  | 100       |
| 5.3.1    | Empirical Boundary Between Placement and Floorplanning .....  | 103       |
| 5.4      | Flexible Whitespace Allocation .....  | 104       |
| 5.4.1    | Uniform Whitespace .....  | 104       |
| 5.4.2    | Minimum Local Whitespace .....  | 105       |
| 5.4.3    | Safe Whitespace .....   | 105       |
| 5.5      | Detail Placement .....  | 107       |
| 5.5.1    | RowIroning .....  | 107       |
| 5.5.2    | Optimal Branch-and-Bound Placement .....  | 107       |
| 5.5.3    | Greedy Cell Movement .....  | 108       |
| 5.6      | Placement for Routability .....   | 110       |
| 5.6.1    | Optimizing Steiner Wire length .....  | 110       |
| 5.6.2    | Congestion-Based Cutline Shifting .....   | 112       |
| 5.7      | Improved RTL Placement .....  | 113       |
| 5.7.1    | Selective Floorplanning for Multimillion Gate Designs .....   | 113       |
| 5.7.2    | Temporary Macro Deflation .....   | 116       |
| 5.7.3    | Whitespace Reallocation Using Linear Programming and Min-Cost Max-Flow .....                                  | 117       |
| 5.8      | Incremental Placement .....   | 118       |
| 5.8.1    | General Framework .....   | 118       |
| 5.8.2    | Fast Cutline Selection .....  | 119       |
| 5.8.3    | Scalability .....   | 120       |
| 5.8.4    | Handling Macros and Obstacles .....   | 122       |
| 5.8.5    | Relaxing Overfullness Constraints .....   | 122       |
| 5.8.6    | Satisfying Density Constraints .....  | 124       |
| 5.9      | Memory Profile .....  | 124       |

|          |   |            |
|----------|---|------------|
| 5.10     | Performance on Publicly Available Benchmarks . . . . .                | 125        |
| 5.10.1   | Routing Benchmarks . . . . .  | 125        |
| 5.10.2   | Mixed-Size Benchmarks . . . . .                                       | 126        |
| 5.10.3   | ISPD Contest Benchmarks . . . . .                                     | 129        |
| 5.11     | Conclusions . . . . .   | 131        |
|          | References . . . . .  | 131        |
| <b>6</b> | <b>Congestion Minimization in Modern Placement Circuits . . . . .</b> | <b>135</b> |
| 6.1      | Introduction . . . . .  | 135        |
| 6.2      | Overview of Dragon . . . . .  | 136        |
| 6.2.1    | Framework of Dragon . . . . .   | 137        |
| 6.3      | Mixed-Size Placement . . . . .  | 138        |
| 6.3.1    | Macro-Aware Partitioning . . . . .                                    | 139        |
| 6.3.2    | Bin-Based Simulated Annealing . . . . .                               | 141        |
| 6.3.3    | Legalization . . . . .  | 142        |
| 6.4      | Congestion Estimation . . . . .                                       | 142        |
| 6.4.1    | Rent's Rule . . . . .   | 143        |
| 6.4.2    | Peak Congestion Analysis . . . . .                                    | 143        |
| 6.4.3    | Regional Congestion Estimation . . . . .                              | 146        |
| 6.5      | Congestion Removal . . . . .  | 153        |
| 6.5.1    | Problem Formulation . . . . .   | 154        |
| 6.5.2    | Row White Space Allocation . . . . .                                  | 155        |
| 6.5.3    | Grid White Space Allocation . . . . .                                 | 157        |
| 6.5.4    | Placement Flow . . . . .  | 157        |
| 6.5.5    | Post-Allocation Optimization . . . . .                                | 157        |
| 6.6      | Target Utilization Control . . . . .                                  | 158        |
| 6.7      | Experimental Result . . . . .   | 160        |
|          | References . . . . .  | 162        |

---

**Part IV Multilevel Placement Techniques**

---

|          |  |            |
|----------|--|------------|
| <b>7</b> | <b>APlace: A High Quality, Large-Scale Analytical Placer . . . . .</b> | <b>167</b> |
| 7.1      | Introduction . . . . .   | 167        |
| 7.2      | Clustering and Unclustering . . . . .                                  | 169        |
| 7.3      | Global Placement . . . . .   | 171        |
| 7.3.1    | Constrained Minimization Formulation . . . . .                         | 171        |
| 7.3.2    | Quadratic Penalty Method and Conjugate Gradient Solver . . . . .       | 174        |
| 7.3.3    | Multi-Level Algorithm . . . . .  | 174        |
| 7.4      | Legalization and Detailed Placement . . . . .                          | 177        |
| 7.4.1    | Global Moving . . . . .  | 177        |
| 7.4.2    | Whitespace Distribution . . . . .                                      | 178        |
| 7.4.3    | Cell Order Polishing . . . . .   | 179        |
| 7.5      | ISPD'06 Contest and APlace3.0 . . . . .                                | 181        |

|          |   |     |
|----------|---|-----|
| 7.5.1    | Exploring Alternative Wirelength Functions . . . . .                          | 181 |
| 7.5.2    | Exploring Alternative Density Functions . . . . .                             | 182 |
| 7.6      | Experimental Results . . . . .  | 183 |
|          | References . . . . .  | 189 |
| <b>8</b> | <b>FastPlace: An Efficient Multilevel Force-Directed Placement</b>            |     |
|          | <b>Algorithm</b> . . . . .  | 193 |
| 8.1      | Introduction . . . . .  | 193 |
| 8.2      | Overview of the Algorithm . . . . .   | 194 |
| 8.3      | Quadratic Placement Methodology . . . . .                                     | 196 |
| 8.4      | Hybrid Net Model . . . . .  | 197 |
|          | 8.4.1 Clique and Star Net Models . . . . .                                    | 198 |
|          | 8.4.2 Hybrid Net Model . . . . .  | 199 |
| 8.5      | Cell Shifting . . . . .   | 201 |
|          | 8.5.1 Shifting of Standard-cells . . . . .                                    | 201 |
|          | 8.5.2 Shifting of Macro-Blocks . . . . .                                      | 202 |
|          | 8.5.3 Addition of Spreading Forces . . . . .                                  | 204 |
| 8.6      | Iterative Local Refinement . . . . .  | 205 |
|          | 8.6.1 Bin Structure for <i>r-ILR</i> . . . . .                                | 206 |
|          | 8.6.2 ILR for Simultaneous Spreading and Wirelength<br>Minimization . . . . . | 206 |
|          | 8.6.3 ILR for Handling Placement Blockages . . . . .                          | 206 |
|          | 8.6.4 ILR for Placement Congestion Control . . . . .                          | 208 |
| 8.7      | Clustering for Placement . . . . .  | 209 |
|          | 8.7.1 Two-Level Clustering Scheme . . . . .                                   | 209 |
| 8.8      | Legalization . . . . .  | 212 |
|          | 8.8.1 Legalization of Macro-Blocks . . . . .                                  | 212 |
|          | 8.8.2 Legalization of Standard-Cells . . . . .                                | 215 |
| 8.9      | FastDP: Efficient and Effective Detailed Placement . . . . .                  | 215 |
|          | 8.9.1 Global Swap . . . . .   | 215 |
|          | 8.9.2 Vertical Swap . . . . .   | 219 |
|          | 8.9.3 Local Re-Ordering . . . . .   | 219 |
|          | 8.9.4 Single-Segment Clustering . . . . .                                     | 220 |
| 8.10     | Experimental Results and Analysis . . . . .                                   | 222 |
|          | 8.10.1 Runtime Analysis of the Algorithm . . . . .                            | 222 |
|          | 8.10.2 ISPD-2005 Placement Contest Benchmarks . . . . .                       | 222 |
|          | 8.10.3 ISPD-2006 Placement Contest Benchmarks . . . . .                       | 224 |
|          | 8.10.4 PEKO-MS Benchmarks . . . . .   | 225 |
| 8.11     | Conclusions . . . . .   | 226 |
|          | References . . . . .  | 227 |
| <b>9</b> | <b>mFAR: Multilevel Fixed-Points Addition-Based VLSI Placement</b> . . . .    | 229 |
| 9.1      | Introduction . . . . .  | 229 |
| 9.2      | Background . . . . .  | 230 |
| 9.3      | Fixed Points . . . . .  | 231 |

|           |   |     |
|-----------|---|-----|
| 9.3.1     | Fixed-Points and Force-Equilibrium State . . . . .                        | 231 |
| 9.3.2     | Fixed-Points Addition . . . . .   | 233 |
| 9.4       | Fixed-Points Addition-Based Placement . . . . .                           | 235 |
| 9.4.1     | Fixed Points vs. Constant Forces . . . . .                                | 235 |
| 9.4.2     | Fixed Points in Global Placement . . . . .                                | 236 |
| 9.4.3     | Detailed Placement . . . . .  | 240 |
| 9.5       | mFAR: Multilevel Fixed-Point Addition-Based Placement . . . . .           | 240 |
| 9.6       | Experimental Results . . . . .  | 242 |
| 9.6.1     | ISPD05 Placement Contest Benchmarks . . . . .                             | 242 |
| 9.6.2     | ISPD06 Placement Contest Benchmarks . . . . .                             | 242 |
| 9.6.3     | PEKO 2005 . . . . .   | 243 |
| 9.6.4     | PEKO 2006 . . . . .   | 243 |
| 9.7       | Conclusions . . . . .   | 244 |
|           | References . . . . .  | 244 |
| <b>10</b> | <b>mPL6: Enhanced Multilevel Mixed-Size Placement with Congestion</b>     |     |
|           | <b>Control</b> . . . . .  | 247 |
| 10.1      | Introduction . . . . .  | 247 |
| 10.2      | Definitions and Notations . . . . .                                       | 248 |
| 10.3      | Problem Formulation . . . . .   | 248 |
| 10.4      | Multilevel Framework . . . . .  | 249 |
| 10.4.1    | Coarsening . . . . .  | 250 |
| 10.4.2    | Relaxation . . . . .  | 253 |
| 10.4.3    | Interpolation . . . . .   | 253 |
| 10.4.4    | Multilevel Flow . . . . .   | 255 |
| 10.5      | Generalized Force-Directed Algorithm . . . . .                            | 255 |
| 10.5.1    | Constrained Minimization Problem Formulation . . . . .                    | 256 |
| 10.5.2    | Problem Solver . . . . .  | 260 |
| 10.5.3    | Analysis and Enhancements of the GFD Algorithm . . . . .                  | 263 |
| 10.6      | Legalization and Detailed Placement . . . . .                             | 274 |
| 10.6.1    | Macro Legalization . . . . .  | 276 |
| 10.6.2    | Cell Legalization . . . . .   | 281 |
| 10.6.3    | Further Wirelength Reduction . . . . .                                    | 283 |
| 10.7      | Numerical Results . . . . .   | 284 |
|           | References . . . . .  | 285 |
| <b>11</b> | <b>NTUplace3: An Analytical Placer for Large-Scale Mixed-Size Designs</b> | 289 |
| 11.1      | Introduction . . . . .  | 289 |
| 11.2      | Analytical Placement Model . . . . .                                      | 290 |
| 11.3      | Core Techniques . . . . .   | 292 |
| 11.3.1    | Global Placement . . . . .  | 292 |
| 11.3.2    | Legalization . . . . .  | 297 |
| 11.3.3    | Detailed Placement . . . . .  | 298 |
| 11.4      | Experimental Results . . . . .  | 303 |
| 11.4.1    | Dynamic Step-Size Control . . . . .                                       | 303 |

|   |            |
|---|------------|
| 11.4.2 Look-Ahead Legalization .....      | 303        |
| 11.4.3 HPWL and Runtime Analysis .....    | 303        |
| 11.4.4 Wire-Model Comparison .....        | 306        |
| 11.4.5 PEKO-MS Benchmarks .....           | 307        |
| References .....                          | 308        |
| <b>12 Conclusion and Challenges .....</b> | <b>311</b> |
| <b>Index .....</b>                        | <b>313</b> |