

Contents

| | | |
|----------|--|----|
| 1 | Introduction | 1 |
| 1.1 | Ideas and References | 1 |
| 1.2 | Content and Reading Approaches | 11 |
| 2 | The Source of Examples | 21 |
| 2.1 | The Boltzmann Equation | 21 |
| 2.1.1 | The Equation | 21 |
| 2.1.2 | The Basic Properties of the Boltzmann Equation | 23 |
| 2.1.3 | Linearized Collision Integral | 25 |
| 2.2 | Phenomenology and Quasi-Chemical Representation of the Boltzmann Equation | 26 |
| 2.3 | Kinetic Models | 27 |
| 2.4 | Methods of Reduced Description | 28 |
| 2.4.1 | The Hilbert Method | 29 |
| 2.4.2 | The Chapman–Enskog Method | 30 |
| 2.4.3 | The Grad Moment Method | 32 |
| 2.4.4 | Special Approximations | 33 |
| 2.4.5 | The Method of Invariant Manifold | 33 |
| 2.4.6 | Quasiequilibrium Approximations | 35 |
| 2.5 | Discrete Velocity Models | 36 |
| 2.6 | Direct Simulation | 36 |
| 2.7 | Lattice Gas and Lattice Boltzmann Models | 37 |
| 2.7.1 | Discrete Velocity Models for Hydrodynamics | 37 |
| 2.7.2 | Entropic Lattice Boltzmann Method | 42 |
| 2.7.3 | Entropic Lattice BGK Method (ELBGK) | 42 |
| 2.7.4 | Boundary Conditions | 46 |
| 2.7.5 | Numerical Illustrations of the ELBGK | 46 |
| 2.8 | Other Kinetic Equations | 46 |
| 2.8.1 | The Enskog Equation for Hard Spheres | 46 |
| 2.8.2 | The Vlasov Equation | 48 |
| 2.8.3 | The Fokker–Planck Equation | 49 |
| 2.9 | Equations of Chemical Kinetics and Their Reduction | 50 |
| 2.9.1 | Dissipative Reaction Kinetics | 50 |

| | | |
|----------|--|-----------|
| 2.9.2 | The Problem of Reduced Description in Chemical Kinetics | 55 |
| 2.9.3 | Partial Equilibrium Approximations | 55 |
| 2.9.4 | Model Equations | 57 |
| 2.9.5 | Quasi-Steady State Approximation | 59 |
| 2.9.6 | Thermodynamic Criteria for the Selection of Important Reactions | 61 |
| 2.9.7 | Opening | 62 |
| 3 | Invariance Equation in Differential Form | 65 |
| 4 | Film Extension of the Dynamics: Slowness as Stability | 69 |
| 4.1 | Equation for the Film Motion | 69 |
| 4.2 | Stability of Analytical Solutions | 71 |
| 5 | Entropy, Quasiequilibrium, and Projectors Field | 79 |
| 5.1 | Moment Parameterization | 79 |
| 5.2 | Entropy and Quasiequilibrium | 80 |
| 5.3 | Thermodynamic Projector without a Priori Parameterization | 85 |
| 5.4 | Uniqueness of Thermodynamic Projector | 87 |
| 5.4.1 | Projection of Linear Vector Field | 87 |
| 5.4.2 | The Uniqueness Theorem | 88 |
| 5.4.3 | Orthogonality of the Thermodynamic Projector and Entropic Gradient Models | 90 |
| 5.4.4 | Violation of the Transversality Condition, Singularity of Thermodynamic Projection, and Steps of Relaxation | 92 |
| 5.4.5 | Thermodynamic Projector, Quasiequilibrium, and Entropy Maximum | 93 |
| 5.5 | Example: Quasiequilibrium Projector and Defect of Invariance for the Local Maxwellians Manifold of the Boltzmann Equation | 97 |
| 5.5.1 | Difficulties of Classical Methods of the Boltzmann Equation Theory | 98 |
| 5.5.2 | Boltzmann Equation | 99 |
| 5.5.3 | Local Manifolds | 100 |
| 5.5.4 | Thermodynamic Quasiequilibrium Projector | 101 |
| 5.5.5 | Defect of Invariance for the LM Manifold | 102 |
| 5.6 | Example: Quasiequilibrium Closure Hierarchies for the Boltzmann Equation | 103 |
| 5.6.1 | Triangle Entropy Method | 103 |
| 5.6.2 | Linear Macroscopic Variables | 106 |

| | | |
|----------|--|------------|
| 5.6.3 | Transport Equations for Scattering Rates in the Neighbourhood of Local Equilibrium. Second and Mixed Hydrodynamic Chains..... | 113 |
| 5.6.4 | Distribution Functions of the Second Quasiequilibrium Approximation for Scattering Rates | 116 |
| 5.6.5 | Closure of the Second and Mixed Hydrodynamic Chains | 123 |
| 5.6.6 | Appendix: Formulas of the Second Quasiequilibrium Approximation of the Second and Mixed Hydrodynamic Chains for Maxwell Molecules and Hard Spheres | 126 |
| 5.7 | Example: Alternative Grad Equations and a “New Determination of Molecular Dimensions” (Revisited) | 131 |
| 5.7.1 | Nonlinear Functionals Instead of Moments in the Closure Problem..... | 132 |
| 5.7.2 | Linearization | 133 |
| 5.7.3 | Truncating the Chain | 134 |
| 5.7.4 | Entropy Maximization | 134 |
| 5.7.5 | A New Determination of Molecular Dimensions (Revisited) | 136 |
| 6 | Newton Method | |
| | with Incomplete Linearization | 139 |
| 6.1 | The Method | 139 |
| 6.2 | Example: Two-Step Catalytic Reaction..... | 141 |
| 6.3 | Example: Non-Perturbative Correction of Local Maxwellian Manifold and Derivation of Nonlinear Hydrodynamics from Boltzmann Equation (1D) | 144 |
| 6.3.1 | Positivity and Normalization..... | 144 |
| 6.3.2 | Galilean Invariance of Invariance Equation..... | 145 |
| 6.3.3 | Equation of the First Iteration | 146 |
| 6.3.4 | Parametrix Expansion | 149 |
| 6.3.5 | Finite-Dimensional Approximations to Integral Equations | 154 |
| 6.3.6 | Hydrodynamic Equations..... | 159 |
| 6.3.7 | Nonlocality | 160 |
| 6.3.8 | Acoustic Spectra | 160 |
| 6.3.9 | Nonlinearity | 161 |
| 6.4 | Example: Non-Perturbative Derivation of Linear Hydrodynamics from the Boltzmann Equation (3D) | 163 |

| | | |
|----------|--|------------|
| 6.5 | Example: Dynamic Correction to Moment Approximations | 170 |
| 6.5.1 | Dynamic Correction or Extension of the List of Variables? | 170 |
| 6.5.2 | Invariance Equation for Thirteen-Moment Parameterization | 171 |
| 6.5.3 | Solution of the Invariance Equation | 174 |
| 6.5.4 | Corrected Thirteen-Moment Equations | 175 |
| 6.5.5 | Discussion: Transport Coefficients, Destroying the Hyperbolicity, etc. | 177 |
| 7 | Quasi-Chemical Representation | 179 |
| 7.1 | Decomposition of Motions, Non-Uniqueness of Selection of Fast Motions, Self-Adjoint Linearization, Onsager Filter, and Quasi-Chemical Representation | 179 |
| 7.2 | Example: Quasi-Chemical Representation and Self-Adjoint Linearization of the Boltzmann Collision Operator | 183 |
| 8 | Hydrodynamics From Grad's Equations: What Can We Learn From Exact Solutions? | 189 |
| 8.1 | The "Ultra-Violet Catastrophe" of the Chapman-Enskog Expansion | 189 |
| 8.2 | The Chapman-Enskog Method for Linearized Grad's Equations | 192 |
| 8.3 | Exact Summation of the Chapman-Enskog Expansion | 195 |
| 8.3.1 | The $1D10M$ Grad Equations | 195 |
| 8.3.2 | The $3D10M$ Grad Equations | 202 |
| 8.4 | The Dynamic Invariance Principle | 212 |
| 8.4.1 | Partial Summation of the Chapman-Enskog Expansion | 212 |
| 8.4.2 | The Dynamic Invariance | 215 |
| 8.4.3 | The Newton Method | 217 |
| 8.4.4 | Invariance Equation for the $1D13M$ Grad System | 223 |
| 8.4.5 | Invariance Equation for the $3D13M$ Grad System | 228 |
| 8.4.6 | Gradient Expansions in Kinetic Theory of Phonons | 230 |
| 8.4.7 | Nonlinear Grad Equations | 239 |
| 8.5 | The Main Lesson | 246 |
| 9 | Relaxation Methods | 247 |
| 9.1 | "Large Stepping" for the Equation of the Film Motion | 247 |
| 9.2 | Example: Relaxation Method for the Fokker-Planck Equation | 248 |

| | | |
|-----------|--|------------|
| 9.2.1 | Quasi-Equilibrium Approximations for the Fokker-Planck Equation | 248 |
| 9.2.2 | The Invariance Equation for the Fokker-Planck Equation | 251 |
| 9.2.3 | Diagonal Approximation | 252 |
| 9.3 | Example: Relaxational Trajectories: Global Approximations | 254 |
| 9.3.1 | Initial Layer and Large Stepping | 254 |
| 9.3.2 | Extremal Properties of the Limiting State | 256 |
| 9.3.3 | Approximate Trajectories | 259 |
| 9.3.4 | Relaxation of the Boltzmann Gas | 262 |
| 9.3.5 | Estimations | 268 |
| 9.3.6 | Discussion | 276 |
| 10 | Method of Invariant Grids | 279 |
| 10.1 | Invariant Grids | 279 |
| 10.2 | Grid Construction Strategy | 282 |
| 10.2.1 | Growing Lump | 282 |
| 10.2.2 | Invariant Flag | 282 |
| 10.2.3 | Boundaries Check and the Entropy | 283 |
| 10.3 | Instability of Fine Grids | 283 |
| 10.4 | Which Space is Most Appropriate for the Grid Construction? | 284 |
| 10.5 | Carleman's Formula in the Analytical Invariant Manifolds Approximations. First Benefit of Analyticity: Superresolution | 285 |
| 10.6 | Example: Two-Step Catalytic Reaction | 287 |
| 10.7 | Example: Model Hydrogen Burning Reaction | 291 |
| 10.8 | Invariant Grid as a Tool for Data Visualization | 295 |
| 11 | Method of Natural Projector | 299 |
| 11.1 | Ehrenfests' Coarse-Graining Extended to a Formalism of Nonequilibrium Thermodynamics | 299 |
| 11.2 | Example: From Reversible Dynamics to Navier–Stokes and Post-Navier–Stokes Hydrodynamics by Natural Projector | 301 |
| 11.2.1 | General Construction | 303 |
| 11.2.2 | Enhancement of Quasiequilibrium Approximations for Entropy-Conserving Dynamics | 304 |
| 11.2.3 | Entropy Production | 307 |
| 11.2.4 | Relation to the Work of Lewis | 308 |
| 11.2.5 | Equations of Hydrodynamics | 310 |
| 11.2.6 | Derivation of the Navier–Stokes Equations | 310 |
| 11.2.7 | Post-Navier–Stokes Equations | 313 |

| | | |
|-----------|---|------------|
| 11.3 | Example: Natural Projector for the Mc Kean Model | 316 |
| 11.3.1 | General Scheme | 316 |
| 11.3.2 | Natural Projector for Linear Systems | 318 |
| 11.3.3 | Explicit Example of the Fluctuation–Dissipation Formula | 319 |
| 11.3.4 | Comparison with the Chapman–Enskog Method and Solution of the Invariance Equation | 321 |
| 12 | Geometry of Irreversibility: | |
| | The Film of Nonequilibrium States | 325 |
| 12.1 | The Thesis About Macroscopically Definable Ensembles and the Hypothesis About Primitive Macroscopically Definable Ensembles | 325 |
| 12.2 | The Problem of Irreversibility | 328 |
| 12.2.1 | The Phenomenon of the Macroscopic Irreversibility ... | 328 |
| 12.2.2 | Phase Volume and Dynamics of Ensembles | 329 |
| 12.2.3 | Macroscopically Definable Ensembles and Quasiequilibria | 331 |
| 12.2.4 | Irreversibility and Initial Conditions | 334 |
| 12.2.5 | Weak and Strong Tendency to Equilibrium, Shaking and Short Memory | 335 |
| 12.2.6 | Subjective Time and Irreversibility | 336 |
| 12.3 | Geometrization of Irreversibility | 336 |
| 12.3.1 | Quasiequilibrium Manifold | 336 |
| 12.3.2 | Quasiequilibrium Approximation | 339 |
| 12.4 | Natural Projector and Models of Nonequilibrium Dynamics | 341 |
| 12.4.1 | Natural Projector | 341 |
| 12.4.2 | One-Dimensional Model of Nonequilibrium States ... | 343 |
| 12.4.3 | Curvature and Entropy Production: Entropic Circle and First Kinetic Equations | 346 |
| 12.5 | The Film of Non-Equilibrium States | 348 |
| 12.5.1 | Equations for the Film | 348 |
| 12.5.2 | Thermodynamic Projector on the Film | 349 |
| 12.5.3 | Fixed Points of the Film Equation | 352 |
| 12.5.4 | The Failure of the Simplest Galerkin-Type Approximations for Conservative Systems | 353 |
| 12.5.5 | Second Order Kepler Models of the Film | 355 |
| 12.5.6 | The Finite Models: Termination at the Horizon Points | 356 |
| 12.5.7 | The Transversal Restart Lemma..... | 359 |
| 12.5.8 | The Time Replacement, and the Invariance of the Projector | 360 |
| 12.5.9 | Correction to the Infinite Models | 360 |

| | | |
|-----------|---|------------|
| 12.5.10 | The Film, and the Macroscopic Equations | 361 |
| 12.5.11 | New in the Separation of the Relaxation Times | 363 |
| 12.6 | The Main Results | 364 |
| 13 | Slow Invariant Manifolds for Open Systems | 367 |
| 13.1 | Slow Invariant Manifold for a Closed System Has Been Found. What Next? | 367 |
| 13.2 | Slow Dynamics in Open Systems. Zero-Order Approximation and the Thermodynamic Projector | 368 |
| 13.3 | Slow Dynamics in Open Systems. First-Order Approximation | 371 |
| 13.4 | Beyond the First-Order Approximation: Higher-Order Dynamic Corrections, Stability Loss and Invariant Manifold Explosion | 373 |
| 13.5 | Example: The Universal Limit in Dynamics of Dilute Polymeric Solutions | 375 |
| 13.5.1 | The Problem of Reduced Description in Polymer Dynamics | 377 |
| 13.5.2 | The Method of Invariant Manifold for Weakly Driven Systems | 382 |
| 13.5.3 | Linear Zero-Order Equations | 387 |
| 13.5.4 | Auxiliary Formulas. 1. Approximations to Eigenfunctions of the Fokker–Planck Operator | 388 |
| 13.5.5 | Auxiliary Formulas. 2. Integral Relations | 390 |
| 13.5.6 | Microscopic Derivation of Constitutive Equations . . . | 391 |
| 13.5.7 | Tests on the FENE Dumbbell Model | 397 |
| 13.5.8 | The Main Results of this Example are as Follows: . . | 401 |
| 13.6 | Example: Explosion of Invariant Manifold, Limits of Macroscopic Description for Polymer Molecules, Molecular Individualism, and Multimodal Distributions | 403 |
| 13.6.1 | Dumbbell Models and the Problem of the Classical Gaussian Solution Stability | 403 |
| 13.6.2 | Dynamics of the Moments and Explosion of the Gaussian Manifold | 405 |
| 13.6.3 | Two-Peak Approximation for Polymer Stretching in Flow and Explosion of the Gaussian Manifold . . . | 407 |
| 13.6.4 | Polymodal Polyhedron and Molecular Individualism | 411 |
| 14 | Dimension of Attractors Estimation | 419 |
| 14.1 | Lyapunov Norms, Finite-Dimensional Asymptotics and Volume Contraction | 419 |
| 14.2 | Examples: Lyapunov Norms for Reaction Kinetics | 423 |

XVIII Contents

| | | |
|-----------|---|------------|
| 14.3 | Examples: Infinite-Dimensional Systems With Finite-Dimensional Attractors | 426 |
| 14.4 | Systems with Inheritance: Dynamics of Distributions with Conservation of Support, Natural Selection and Finite-Dimensional Asymptotics | 432 |
| 14.4.1 | Introduction: Unusual Conservation Law | 432 |
| 14.4.2 | Optimality Principle for Limit Diversity | 436 |
| 14.4.3 | How Many Points Does the Limit Distribution Support Hold? | 438 |
| 14.4.4 | Selection Efficiency | 440 |
| 14.4.5 | Gromov's Interpretation of Selection Theorems | 444 |
| 14.4.6 | Drift Equations | 445 |
| 14.4.7 | Three Main Types of Stability | 449 |
| 14.4.8 | Main Results About Systems with Inheritance | 450 |
| 14.5 | Example: Cell Division Self-Synchronization | 451 |
| 15 | Accuracy Estimation and Post-Processing in Invariant Manifolds Construction | 457 |
| 15.1 | Formulas for Dynamic and Static Post-Processing | 457 |
| 15.2 | Example: Defect of Invariance Estimation and Switching from the Microscopic Simulations to Macroscopic Equations | 460 |
| 15.2.1 | Invariance Principle and Micro-Macro Computations | 460 |
| 15.2.2 | Application to Dynamics of Dilute Polymer Solution | 461 |
| 16 | Conclusion | 467 |
| | References | 469 |
| | Mathematical Notation and Some Terminology | 491 |
| | Index | 493 |