Table of Contents

1. An Introductory Survey 3

1.1 History 3

1.1.1 Early Developments 3

1.1.2 The First Transistors 4

1.1.3 Silicon Transistors 6

1.1.4 Integrated Bipolar Transistors 7

1.1.5 Heterojunction Bipolar Transistors 9

1.1.6 CAD, Device Modeling 10

1.1.7 Applications 11

1.2 Devices, Circuits, Compact Models 12

1.2.1 Circuit Elements 13

1.2.2 Nonlinear Network Elements, Small-Signal Description 14

1.2.3 Two-Ports 17

1.2.4 Device Modeling 21

1.3 Semiconductors 23

1.3.1 Electrons and Holes 23

1.3.2 Thermal Equilibrium 25

1.3.3 Drift and Diffusion Currents 30

1.3.4 Generation and Recombination 32

1.3.5 Basic Semiconductor Equations 35

1.4 PN Junctions 36

1.4.1 PN Junctions in Thermal Equilibrium 36

1.4.2 Forward-Biased PN Junction 39

1.4.3 Reverse-Biased PN Junction 46

1.4.4 Stored Charge 47

1.4.5 Switching, Charge-Control Theory 50

1.4.6 Epitaxial Diodes 51

1.5 Bipolar Transistor Principles 54
1.5.1 Modes of Operation 54
1.5.2 Transfer Current 56
1.5.3 Current Gain 60
1.5.4 Transistor Amplifiers and Switches 62
1.5.5 Leakage Currents 64
1.5.6 Voltage Limits, Breakdown 65
1.5.7 Some Differences of Bipolar Transistors and MOSFETs 67
1.6 Elementary Large-Signal Models 69
1.6.1 The Elementary Transistor Model 69
1.6.2 Current–Voltage Characteristics 73
1.6.3 Charge Storage, Charge Control Model 75
1.6.4 Switching Operation 77
1.7 Elementary Small-Signal Models 82
1.7.1 Admittance Parameters 82
1.7.2 Hybrid Parameters 84
1.7.3 T-Equivalent Circuit 86
1.7.4 Frequency Limits 87
1.8 Noise Modeling 92
1.8.1 Noise and Noise Sources 92
1.8.2 Noise Circuit Analysis 95
1.8.3 Noisy Linear Two-Ports, Noise Figure 99
1.8.4 Bipolar-Transistor Noise Equivalent Circuit 102
1.8.5 Input-Referred Noise Sources 103
1.8.6 Noise Figure 107
1.9 Orders of Magnitude 109
1.10 References 113

2. Semiconductor Physics Required for Bipolar-Transistor Modeling 119
2.1 Band Structure 120
2.1.1 Bloch Functions 120
2.1.2 Temperature Dependence of Bandgap and Intrinsic Carrier Density 122
2.2 Thermal Equilibrium 124
2.2.1 Fermi–Dirac and Boltzmann Statistics 124

2.2.2 Ionization 127
2.3 The Boltzmann Equation 128
2.3.1 Collision Term 129
2.3.2 Thermal Equilibrium 130
2.3.3 Limits of Validity 130
2.3.4 Relaxation Times 131
2.4 The Drift–Diffusion Approximation 132
2.4.1 The Relaxation Time Approximation 132
2.4.2 Transport in Low Electric Fields 133
2.5 Hydrodynamic Model 136
2.5.1 Continuity Equation 136
2.5.2 Current Equation 137
2.5.3 Energy Balance Equation 138
2.6 Generation and Recombination 142
2.6.1 Shockley–Read–Hall Processes 142
2.6.2 Auger Recombination 147
2.6.3 Impact Ionization 148
2.6.4 Interband Tunneling 152
2.7 Heavily Doped Semiconductors 154
2.7.1 Modification of the Band Structure 154
2.7.2 Bandgap Narrowing in Silicon 156
2.8 Silicon Device Modeling in the Drift–Diffusion Approximation 159
2.8.1 Basic Equations of the Drift–Diffusion Approximation .. 159
2.8.2 Model Equations for Material Parameters 161
2.8.3 Compact Modeling 166
2.9 References 168

3. Physics and Modeling of Bipolar Junction Transistors 175
3.1 The Regional Approach 175
3.1.1 Drift Transistors – Homogeneous-Field Case 175
3.1.2 Transfer Current in Frequency and Time Domains 176
3.1.3 The Ebers–Moll Model 179
3.1.4 The Charge Control Model 180
3.1.5 Non-Quasi-Static Effects 183
3.2 Transfer Current, Early Effect 185
3.2.1 The Integral Charge Control Relation 185

3.2.2 Forward Operation, Early Voltage 187
3.2.3 Base Charge Partitioning 189
3.3 Emitter–Base Diode, Current Gain 192
3.3.1 Minority-Carrier Transport in Heavily Doped Silicon Emitters 192
3.3.2 Polycrystalline Emitter Contacts 194
3.3.3 Recombination in the Space Charge Layer 197
3.3.4 Reverse-Bias Currents, Breakdown 202
3.4 Base–Collector Diode, Breakdown 204
3.4.1 Multiplication Factor 204
3.4.2 Collector–Emitter Breakdown due to Impact Ionization 207
3.4.3 Punchthrough 208
3.5 Charge Storage, Transit Time 212
3.5.1 Depletion Capacitances 212
3.5.2 Hole Continuity and Cutoff Frequency 213
3.5.3 Forward Transit Time 217
3.6 Series Resistances 222
3.6.1 Emitter Resistance 222
3.6.2 Base Resistance 222
3.6.3 Collector Resistance, Quasi-Saturation 226
3.7 High-Level Injection 227
3.7.1 High-Level Injection in the Base Region 227
3.7.2 High-Level Injection in the Collector Region 229
3.7.3 The Epilayer Model of Kull et al. 237
3.8 The Gummel–Poon Model 239
3.8.1 Transfer Current and Current Gain 239
3.8.2 Base Current Components 241
3.8.3 Current Gain 241
3.8.4 Charge Storage 243
3.8.5 Series Resistances 244
3.8.6 Parameters 245
3.9 Small-Signal Description 248
3.9.1 Giacoletto Small-Signal Equivalent Circuit 248
3.9.2 Admittance Parameters 251
3.9.3 Carrier Multiplication Effects 256
3.9.4 Non-Quasi-Static Effects and Excess Phase 258

3.9.5 Nonlinear Distortion Effects 262
3.10 Figures of Merit 267
3.10.1 Cutoff Frequency 267
3.10.2 Maximum Frequency of Oscillation 269
3.10.3 CML Gate Delay and Power–Delay Product 271
3.10.4 Product of Current Gain and Early Voltage 273
3.10.5 Johnson Limit 274
3.11 Temperature Dependences, Self-Heating 276
3.11.1 Temperature Dependences 276
3.11.2 Thermal Equivalent Circuit 278
3.11.3 Mitlaufeffekt, Thermal Runaway 280
3.12 Parameter Extraction – DC Measurements 283
3.12.1 Gummel Plot 283
3.12.2 Output Characteristics, Early Voltage 288
3.12.3 Series Resistances 291
3.12.4 Carrier Multiplication and Open-Base Breakdown 295
3.12.5 Thermal Resistance, Self-Heating Effects 300
3.13 Parameter Extraction – AC Measurements 302
3.13.1 De-Embedding 302
3.13.2 Transit Time 304
3.13.3 Capacitances 305
3.13.4 The Impedance Semicircle Method 307
3.14 The VBIC Model 308
3.14.1 Vertical NPN Transistor 308
3.14.2 Parasitic PNP Transistor 313
3.14.3 Stored Charges 313
3.14.4 Temperature Effects 314
3.15 The HICUM Model 316
3.15.1 Modeling Approach 320
3.15.2 Transfer Current 322
3.15.3 Static Base Current, Parasitic PNP Transistor 324
3.15.4 Series Resistances 324
3.15.5 Charge Storage 325
3.15.6 BC Avalanche Effect 331
3.15.7 Emitter–Base Tunneling 331

3.15.8 Temperature Effects 332
3.16 The MEXTRAM Model 333
3.16.1 Transfer Current 336
3.16.2 Base Current Components, Parasitic PNP Transistor 337
3.16.3 Epilayer Description 339
3.16.4 Series Resistances 342
3.16.5 Charge Storage 342
3.16.6 Avalanche Effect 345
3.16.7 Temperature Effects 346
3.16.8 Discussion 348
3.17 References 349

4. Physics and Modeling of Heterojunction Bipolar Transistors 359
4.1 Heterojunctions 361
4.1.1 Thermal Equilibrium 362
4.1.2 Forward-Biased Heterojunction 364
4.1.3 Depletion Capacitance 373
4.2 Heterojunction Bipolar Transistors 375
4.2.1 Transfer Current 376
4.2.2 Offset Voltage 377
4.2.3 Nonequilibrium Carrier Transport 378
4.3 Silicon-Based Semiconductor Heterostructures 380
4.3.1 Growth of SiGe/Si Heterostructures 382
4.3.2 SiGe Material Parameters 383
4.4 SiGe HBTs 387
4.4.1 Transfer Current 388
4.4.2 Base Transit Time 394
4.4.3 High-Level-Injection Effects 395
4.4.4 Compact Models for SiGe HBTs 398
4.5 Compound Semiconductor HBTs 400
4.5.1 GaAlAs/GaAs HBTs 400
4.5.2 Indium Phosphide 401
4.5.3 Microwave Power Transistors 402
4.6 References 406

5. Noise Modeling 411
5.1 Noise in Semiconductors 411
5.1.1 Shot Noise and Thermal Noise 411
5.1.2 Generation–Recombination Noise 417
5.1.3 Low-Frequency Noise (1/f Noise) 419
5.2 Transport Theory of Noise 421
5.2.1 Langevin Approach to the Noise of Ohmic Resistors 422
5.3 Noise of pn Junctions 424
5.3.1 Noise Mechanism of Biased pn Junctions 425
5.3.2 Langevin Approach to the Noise of pn Junction Diodes 427
5.4 Noise Generated by the Transfer Current 435
5.5 High-Frequency Noise Equivalent Circuit 440
5.6 Noise Figure 443
5.6.1 Noise Caused by the Transfer Current 443
5.6.2 Noise Figure 446
5.6.3 Effects of Carrier Multiplication on Noise Figure 448
5.7 Low-Frequency Noise 451
5.8 References 455

6. Basic Circuit Configurations 463
6.1 Common-Emitter Configuration 463
6.1.1 Biasing 463
6.1.2 AC Characteristics 467
6.1.3 Nonlinear Distortion 470
6.2 Common-Collector Configuration 471
6.2.1 Basic Principles 471
6.2.2 AC Characteristics 473
6.3 Common-Base Configuration 474
6.4 The Diode-Connected Bipolar Transistor 476
6.4.1 Realizations 476
6.4.2 Current–Voltage Characteristic 477
6.4.3 High-Frequency Behavior 478
6.5 Current Sources and Active Loads 479
6.5.1 Current Source with Series Feedback 480
6.5.2 Current Mirror 480
6.5.3 Active Load 484

6.6 Differential Amplifiers ... 485
6.6.1 DC Transfer Characteristic ... 486
6.6.2 Differential-Mode and Common-Mode Voltage Gain ... 487
6.7 Analog Multipliers ... 489
6.8 Two-Transistor Amplifier Stages ... 491
6.8.1 The Darlington Configuration ... 491
6.8.2 The Cascode Configuration ... 493
6.9 Bandgap References ... 494
6.10 Digital Circuits ... 497
6.10.1 Characteristics of Digital Circuits ... 498
6.10.2 Bipolar-Digital-Circuit Techniques ... 501
6.11 References ... 508

7. Process Integration ... 511
7.1 Fabrication of Integrated npn Transistors ... 511
7.1.1 Collector Isolation ... 511
7.1.2 Emitter and Base Formation ... 514
7.2 Passive Components ... 521
7.2.1 Resistors ... 521
7.2.2 Capacitors ... 524
7.2.3 Inductors ... 527
7.3 PNP Transistors ... 530
7.3.1 Vertical pnp Transistors with Polysilicon Emitter ... 530
7.3.2 Lateral pnp Transistors ... 531
7.4 Reliability ... 536
7.4.1 Device Degradation ... 536
7.4.2 Failure of Bipolar Devices due to Electrostatic Discharges ... 539
7.5 References ... 546

8. Applications ... 551
8.1 Emitter-Coupled Logic ... 551
8.1.1 Single-Ended, Differential and Feedback ECL ... 552
8.1.2 Noise Margin ... 559
8.1.3 Flip-Flops ... 561
8.1.4 Frequency Dividers ... 562

8.2 High-Speed Optical Transmission Systems 563
8.3 RF Microelectronics 564
8.4 BiCMOS 569
8.5 References 571

A. Linear and Nonlinear Response 577
A.1 Linear Response 577
A.1.1 Step Response, Elmore Delay 578
A.2 Nonlinear Systems Without Memory 580
A.2.1 Harmonic Distortion, Gain Compression 580
A.2.2 Intermodulation Distortion 582
A.3 Nonlinear Systems with Memory 585
A.3.1 Volterra Series 585
A.4 References 586

B. Linear Two-Ports, s-Parameters 587
B.1 Indefinite Admittance Matrix 587
B.2 Terminated Two-Ports 588
B.2.1 Input and Output Impedance 589
B.2.2 Voltage and Current Gain 589
B.2.3 Power Gain 590
B.2.4 Stability 594
B.2.5 Incident and Reflected Power 595
B.3 S-Parameters 597
B.3.1 Relations between s-Parameters and Two-Port Parameters 598
B.3.2 Matching and Power Gain 599
B.4 References 600

C. PN Junctions: Details 601
C.1 Boundary Conditions at PN Junctions 601
C.2 Epitaxial Diode 603
C.3 Minority-Carrier Transport in Heavily Doped Emitter Regions 605
C.4 High-Frequency Diode Admittance 608
C.5 References 610

D. Bipolar Transistor: Details 611

D.1 Drift Transistor 611
D.1.1 Electron Transport Through the Base Region 611
D.1.2 Computation of $a_{21}(t)$ 613
D.1.3 Excess Phase 613
D.1.4 Collector Transit Time 614
D.1.5 Small-Signal Analysis 615
D.2 Quasi-Three-Dimensional Computations of the Base Resistance 617
D.3 Generation of Model Parameters from Layout Data 620
D.4 Generalization of the Gummel Transfer Current Relation to Arbitrary Geometries 621
D.5 Definition of Series Resistances Within the Integral Charge Control Relation 623
D.6 Multiplication Factor 625
D.7 References 626

E. Noise: Details 627
E.1 Some Statistics 627
E.1.1 Stochastic Variables, Correlation 627
E.1.2 Ensemble Average, Distribution Function 628
E.1.3 Spectral Density 629
E.1.4 Carson Theorem, Shot Noise 629
E.2 Velocity Fluctuations and Diffusion 630
E.3 Thermodynamics and Noise 632
E.4 Generation–Recombination Noise 634
E.5 McWorther Model of 1/f Noise 636
E.6 Short-Base Diode with Metal Contact 637
E.7 Short-Base Diode with Polysilicon Contact 639
E.8 Equivalent-Circuit Representation of Transfer Current Noise . . 641
E.9 References 644

F. Overtemperature Developed During Electrostatic Discharges 645
F.1 Thermal Conductivity 645
F.2 Transient Overtemperature During a Short Pulse 646
F.3 References 648