

Contents

1. Nonclassical Light	1
1.1 Classical Description of Light	1
1.2 Quantum Description of Light	2
1.3 Coherent State, Squeezed State and Number-Phase Squeezed State	3
1.4 Quantum Theory of Photodetection and Sub-Poisson Photon Distribution	4
1.5 Quantum Theory of Second-Order Coherence and Photon Antibunching	6
1.6 Quantum Theory of Photocurrent Fluctuation and Squeezing	9
2. Noise of p–n Junction Light Emitters	13
2.1 Introduction	13
2.2 Junction Voltage Dynamics: the Poisson Equation	14
2.3 Semiclassical Langevin Equation for Junction Voltage Dynamics	17
2.3.1 Mesoscopic Case ($\mathbf{r} \gg \mathbf{1}$)	18
2.3.2 Macroscopic Case ($\mathbf{r} \ll \mathbf{1}$)	18
2.4 Noise Analysis of an LED	20
2.4.1 Steady-State Conditions	22
2.4.2 Linearization	22
2.4.3 Photon-Number Noise	23
2.4.4 Noise in the External Circuit Current	27
2.4.5 Correlation Between Carrier Number and Junction Voltage	28
2.4.6 Correlation Between Photon Flux and Junction Voltage	29
2.5 Summary	30
3. Sub-Poissonian Light Generation in Light-Emitting Diodes	31
3.1 Introduction	31
3.2 Physical Mechanism of Pump-Noise Suppression	31
3.3 Measurement of the Squeezing Bandwidth	33
3.4 Summary	39

4. Amplitude-Squeezed Light Generation in Semiconductor Lasers	41
4.1 Introduction	41
4.2 Interferometric Measurement of Longitudinal-Mode-Partition Noise	43
4.2.1 Principle	43
4.2.2 Experimental Setup	43
4.3 Grating-Feedback External-Cavity Semiconductor Laser	45
4.3.1 Experimental Setup and Procedure	45
4.3.2 Experimental Results	45
4.3.3 Discussion	48
4.4 Injection-Locked Semiconductor Laser	48
4.4.1 Experimental Setup and Procedure	48
4.4.2 Experimental Results	49
4.4.3 Discussion	51
4.4.4 Modeling of the Noise of an Injection-Locked Laser ...	52
4.5 Summary	55
5. Excess Intensity Noise of a Semiconductor Laser with Nonlinear Gain and Loss	57
5.1 Introduction	57
5.2 Physical Models for Nonlinearity	58
5.2.1 Nonlinear Gain	58
5.2.2 Nonlinear Loss	60
5.3 Noise Analysis Using Langevin Rate Equations	61
5.4 Numerical Results	63
5.4.1 Numerical Parameters	63
5.4.2 Results	63
5.5 Discussion: Effect of Saturable Loss	65
5.6 Comparison of Two Laser Structures with Respect to Saturable Loss	69
5.6.1 Estimate of the Loss by Si DX Centers	69
5.6.2 Experimental Verification of the Saturable Loss	71
5.6.3 Explanation for the Excess Noise in QW Lasers	74
5.7 Summary	74
6. Transverse-Junction-Stripe Lasers for Squeezed Light Generation	77
6.1 Introduction	77
6.2 Fabrication	78
6.2.1 Si Diffusion and Intermixing	78
6.2.2 High V/III Ratio for Sharper Interfaces	79
6.2.3 P Doping by Zn Diffusion	79
6.2.4 Devices	80

6.3	DC Characterization: Threshold, Loss and Quantum Efficiency	80
6.4	Intensity Noise	81
6.4.1	Influence of High V/III Ratio	81
6.4.2	Optimization of External Coupling Efficiency	83
6.4.3	Polarization-Partition Noise	84
6.4.4	Longitudinal-Mode-Partition Noise	85
6.4.5	Suppressed 1/f Noise.....	86
6.5	Summary	87
7.	Sub-Shot-Noise FM Spectroscopy	89
7.1	Introduction	89
7.2	Advantages of Semiconductor Lasers	89
7.3	Signal-to-Noise Ratio (SNR)	90
7.4	Realization of Sub-Shot-Noise FM Spectroscopy	92
7.4.1	Frequency and Noise Control by Injection Locking ...	93
7.4.2	Effect of Injection Locking on Intensity Noise	95
7.4.3	Suppression of Residual AM by Injection-Locking ...	96
7.4.4	Suppression of Residual AM by Dual Pump Current Modulation.....	98
7.4.5	Expected Lineshape	101
7.4.6	Spectroscopic Setup	103
7.5	Experimental Results	104
7.6	Future Prospects	105
8.	Sub-Shot-Noise FM Noise Spectroscopy	107
8.1	Introduction	107
8.2	Principle of FM Noise Spectroscopy.....	109
8.3	Signal-to-Noise Ratio and the Advantage of Amplitude Squeezing	109
8.4	Sub-Shot-Noise Spectroscopy.....	110
8.4.1	Experimental Setup	110
8.4.2	Laser Trapping and Cooling of Rb.....	111
8.4.3	Expected Optical Transitions in a Magneto-Optic Trap	112
8.4.4	Sample Probing	113
8.4.5	Experimental Result	114
8.5	Phase-Sensitive FM Noise Spectroscopy	116
8.5.1	Experimental Setup	116
8.5.2	Experimental Results	118
8.6	Summary	121

9. Sub-Shot-Noise Interferometry	123
9.1 Introduction	123
9.2 Sensitivity Limit of an Optical Interferometer	124
9.3 Amplitude-Squeezed Light Injection in a Dual-Input Mach-Zehnder Interferometer	125
9.4 Sub-Shot-Noise Phase Measurement	127
9.4.1 Experimental Procedure	127
9.4.2 Experimental Result	128
9.5 Dual-Input Michelson Interferometer	131
9.5.1 Operation Principle	131
9.5.2 Sensitivity of a Dual-Input Michelson Interferometer ..	133
9.5.3 Sub-Shot-Noise Interferometry	134
9.6 Summary and Future Prospects	136
10. Coulomb Blockade Effect in Mesoscopic p-n Junctions	137
10.1 Introduction	137
10.2 Calculation of Resonant Tunneling Rates	138
10.2.1 Transmittance of the Barrier	139
10.2.2 Tunneling Matrix Element	140
10.2.3 Electron Tunneling Current Density into the Central QW	142
10.2.4 Effect of Inhomogeneous Broadening	143
10.3 Coulomb Blockade Effect on Resonant Tunneling	144
10.4 Coulomb Staircase	146
10.4.1 DC Voltage Bias Condition	146
10.4.2 DC + AC Voltage Bias Condition	148
10.5 Turnstile Operation	150
10.6 Monte-Carlo Simulations	154
10.7 Summary	154
11. Single-Photon Generation in a Single-Photon Turnstile Device	155
11.1 Introduction	155
11.2 Device Fabrication	155
11.2.1 Wafer Design and Growth	156
11.2.2 Ohmic Contact Formation	157
11.2.3 Device Definition: Electron-Beam Lithography	158
11.2.4 Metal Evaporation and Liftoff	158
11.2.5 Device Isolation: ECR-RIE	160
11.2.6 Surface Passivation	162
11.2.7 Planarization and Top-Contact Evaporation	165
11.3 Observation of the Coulomb Staircase	167
11.4 Single-Photon Turnstile Device	168
11.4.1 Preliminary Characterization	168
11.4.2 Experimental Setup	170

11.4.3	Electrical Characterization	172
11.4.4	Optical Characterization	174
11.5	Summary	177
12.	Single-Photon Detection	
	with Visible-Light Photon Counter	179
12.1	Introduction	179
12.2	Comparison of Single-Photon Detectors	180
12.2.1	Photomultiplier Tubes (PMTs)	180
12.2.2	Avalanche Photodiodes (APDs)	181
12.2.3	Superconducting Tunnel Junctions (STJs)	182
12.2.4	Solid-State Photomultipliers (SSPMs) and Visible-Light Photon Counters (VLPCs)	183
12.3	Operation Principle of a VLPC	183
12.4	Single-Photon Detection System Based on a VLPC	184
12.5	Quantum Efficiency of a VLPC	186
12.6	Theory of Noise in Avalanche Multiplication	191
12.6.1	Excess Noise Factor (ENF)	191
12.6.2	Noise Power Spectral Density of the Multiplied Photocurrent	192
12.6.3	Effect of ENF in the Pulse-Height Distribution	193
12.7	Excess Noise Factor of a VLPC	194
12.7.1	Digital Measurement of the Pulse-Height Distribution	195
12.7.2	Analog Noise Power Spectral Density Measurement	196
12.8	Two-Photon Detection with a VLPC	198
12.8.1	Twin Photon Generation in Optical Parametric Downconversion	199
12.8.2	Characterization of Two-Photon Detection with VLPC	201
12.9	Summary	204
13.	Future Prospects	207
13.1	Introduction	207
13.2	Regulated and Entangled Photons from a Single Quantum Dot	208
13.3	Single-Mode Spontaneous Emission from a Single Quantum Dot in a Three-Dimensional Microcavity	212
13.4	Lasing and Squeezing of Exciton-Polaritons in a Semiconductor Microcavity	217
A.	Appendix: Noise and Correlation Spectra	
	for Light-Emitting Diode	221
A.1	Linearization	221
A.2	LED Photon Noise Spectral Density	222
A.3	External Current Noise Spectral Density	223

XIV Contents

A.4 Junction-Voltage–Carrier-Number Correlation	223
A.5 Photon-Flux–Junction-Voltage Correlation	224
References	225
Subject Index	241