

Contents

| | | | |
|--|---|---|----|
| A | 1 | Atypical Vascular Pattern | 10 |
| ABCD Rule of Dermoscopy | 1 | Auspitz Sign | 10 |
| ABC Point List of Dermoscopy | 1 | Autoimmunogenic Keratinocytolysis | 11 |
| Abrupt Cut-off of the Trabeculae | 2 | AVP | 11 |
| Abrupt Edge | 2 | | |
| Abrupt Pigment Breaks in the Trabeculae | 2 | B | 13 |
| Acantholysis | 2 | Balloon Cell Nevus | 13 |
| Acanthoma | 2 | Basal Cell Carcinoma | 13 |
| Acanthosis | 2 | Basal Cell Papilloma | 14 |
| Accessory Nipple | 2 | Basal Layer | 14 |
| Acne Rosacea | 2 | Basic Pattern of Polymorphic and/or | |
| Acrolentiginous Melanoma | 2 | Aneurysmatic Vessels | 14 |
| Actinic Elastosis | 3 | Basic Structures | 14 |
| Actinic Keratosis | 3 | Bathing Trunk Nevus | 14 |
| Addison's Disease | 4 | Becker's Nevus | 14 |
| Agminate Melanocytic Nevus | 4 | Benign Juvenile Melanoma | 14 |
| Alabaster–Gypseous Lacunae | 5 | Benign Lichenoid Keratosis | 14 |
| Amelanotic and Hypomelanotic Melanoma | 5 | Black Dots | 14 |
| Amiodaron-induced Pigmentation | 5 | Black Heel | 14 |
| Angiokeratoma | 6 | Blood Lakes | 15 |
| Angioma | 6 | Blood Sinuses | 15 |
| Angiosarcoma | 6 | Blood Spots, Nail Unit | 15 |
| Annular–Granular Pattern | 7 | Blotches | 15 |
| Apocrine Sweat Gland | 8 | Blue Nevus | 16 |
| Arborizing Pattern | 8 | Blue-gray Area | 16 |
| Arborizing Telangiectasis | 8 | Blue-gray Globules in Absence of a Pigment | |
| Arborizing Vessels | 8 | Network | 16 |
| Area of Polymorphic Ectatic Vessels | 8 | Blue-gray Granules | 17 |
| Area of Target Globules | 9 | Blue-gray or Slate-gray Reticular Pattern | 17 |
| Area with Central Papillary Globules | 9 | Blue-gray Reticular Pattern | 17 |
| Area with Evenly Arranged Capillaries | 9 | Blue-in-Pink Area | 17 |
| Asymmetrical Pigmented Follicular Openings | 9 | Blue-white Veil | 18 |
| Atrophy of the Epidermis | 9 | | |
| Atypical Nevus | 9 | | |
| Atypical Pigment Network | 9 | | |

| | |
|--|----|
| Border | 19 |
| Bowen's Disease | 19 |
| Bowenoid Genital Papulosis | 20 |
| Bowen's Carcinoma | 20 |
| Brain-like Appearance | 20 |
| Branched Streaks | 20 |
| Broadened Network | 21 |
| Brown Background, Nail Unit | 21 |
| Brown Dots | 22 |
| Brown Globules | 22 |
| Brown/Black Dots on a Blue/Gray Background | 22 |

| | |
|---|----|
| C | 23 |
| Capillary Dot Pattern | 23 |
| Capillary Reticular Pattern | 23 |
| Capillary Sequestration | 23 |
| Central Hyperpigmented Pattern | 23 |
| Central Hypopigmented Pattern | 23 |
| Cerebriform Appearance | 23 |
| Cherry Hemangioma | 23 |
| Clark's Nevus | 24 |
| Chloasma | 24 |
| CMN | 24 |
| Cobblestone Pattern | 24 |
| Cockade Architecture | 24 |
| Cognetta Sign | 24 |
| Collision Tumors | 24 |
| Color Changes | 25 |
| Combined Nevus | 25 |
| Comedo-like Openings | 25 |
| Comma-like-shaped Vessels | 26 |
| Compound Nevus | 27 |
| Congenital Hairy Nevus | 27 |
| Congenital Melanocytic Nevus | 27 |
| Congenital Speckled Lentiginous Nevus | 28 |
| Congenital Zosteriform Speckled Lentiginous Nevus | 28 |
| Corium | 28 |
| Corneal Layer of the Epidermis | 28 |
| Corneocyte | 28 |
| Corticosteroid Side Effects | 28 |
| Cotton-ball Phenomenon | 28 |
| Crista Dotted Pattern | 28 |
| Crista Profunda Intermedia | 28 |
| Crista Profunda Limitans | 29 |
| Crista Reticulated Pattern | 29 |
| Crown Vessels | 29 |

| | |
|---|----|
| Crypts | 30 |
| D | 31 |
| Darier's Disease | 31 |
| Degenerative Changes with Blue-gray Granules in the Marginal Area | 31 |
| Dendritic Grayish-blue Trabeculae | 31 |
| Depigmentation | 31 |
| Dermal Nevus | 31 |
| Dermal Papilla | 32 |
| Dermatitis Herpetiformis Duhring | 32 |
| Dermatofibroma | 32 |
| Dermatoglyphics | 33 |
| Dermatomyositis | 33 |
| Dermis | 33 |
| Desmoplastic Melanoma | 33 |
| Desmoplastic Spitz Nevus | 34 |
| Diffuse Network Pattern | 34 |
| Diffuse Network with Central Globules | 34 |
| Diffuse Pigmentation | 35 |
| Digitiform Extrusions | 35 |
| Discoid Lupus Erythematosus | 35 |
| Dots | 35 |
| Dotted Vessels | 36 |
| Drug-induced Hyperpigmentation | 36 |
| Dyskeratosis | 37 |
| Dyskeratosis Follicularis | 37 |
| Dyskeratosis Maligna | 37 |
| Dysplastic Nevi, Basic Patterns | 37 |
| Dysplastic Nevi, ELM Rating Protocol | 37 |
| Dysplastic Nevus | 38 |
| Dysplastic or Atypical Nevi, Dermoscopic Properties | 39 |
| E | 41 |
| Eccentric Hyperpigmented Pattern | 41 |
| Eccrine Pores | 41 |
| Ehring's Rhexis Bleeding | 41 |
| Elastosis | 42 |
| ELM Grading Protocol | 42 |
| Enhanced ABCD-E Scoring System | 42 |
| Ephelis | 43 |
| Epitheloid Cell Nevus | 44 |

| | | | |
|--|----|--|----|
| Eruptive Hemangioma | 44 | Hutchinson's Sign | 58 |
| Erythema | 44 | Hypergranulosis | 58 |
| | | Hyperkeratosis | 58 |
| | | Hyperparakeratosis | 58 |
| | | Hyperpigmentation | 58 |
| | | Hyperplastic Sebaceous Glands | 59 |
| | | Hypogranulosis | 59 |
| | | Hypokeratosis | 59 |
| | | Hypopigmentation | 59 |
| F | 45 | | |
| Facial Skin | 45 | | |
| Fibrillar Pattern | 45 | | |
| Fibrosis | 46 | | |
| Fingerprint-like Structures | 46 | | |
| Fissures and Ridges | 46 | | |
| Follicular Plug and Opening | 47 | | |
| Fried-egg Pattern | 48 | | |
| | | | |
| G | 49 | I | 61 |
| Gray-blue Areas | 49 | Ink-spot Lentigo | 61 |
| Globular Pattern | 49 | In-vivo Histology | 61 |
| Globules | 49 | In-transit Melanoma Metastases | 61 |
| Glomerular Vessels | 50 | Inverse Network | 61 |
| Granular Layer | 51 | Irregular Area of Slate-gray Target Globules | 61 |
| Gray Streaks Surrounding the Lesion | 51 | Irregular Blotches | 61 |
| Gray-black and Blue-gray Ovoid Nests | 51 | Irregular Depigmentation | 61 |
| Gray-black Perifollicular Pigmentation | 52 | Irregular Diffuse Pigmentation | 61 |
| Gray-blue Trabecular Melanophages | 52 | Irregular Dots | 62 |
| Gray-blue/black Papillary Globules | 52 | Irregular Dots/Globules | 62 |
| Grayish Patches | 52 | Irregular Extensions | 62 |
| Gyri | 53 | Irregular Linear–Polymorphous Vessels | 62 |
| Gyri and Sulci | 53 | Irregular Network | 62 |
| | | Irregular Pattern, Nails | 62 |
| | | Irregular Polymorphous Vessels | 63 |
| | | Irregular Streaks | 63 |
| | | Irregular Vessels | 63 |
| | | Irritated Seborrheic Keratosis | 63 |
| | | | |
| H | 55 | J | 65 |
| Hairpin-like-shaped Blood Vessels | 55 | Jelly Sign | 65 |
| Hairpin-like-shaped Corona | 55 | Junctional Nevus | 65 |
| Halo Nevus | 55 | | |
| Hang-glider Sign | 56 | | |
| Hemangioma Senile | 56 | | |
| Hemangiomas | 56 | | |
| Hematolymphangioma | 56 | | |
| Homogeneous Pattern | 57 | K | 67 |
| Homogeneous–Globular Pattern | 57 | Keratinocyte | 67 |
| Honeycomb-like Network | 57 | Keratosis Actinica | 67 |
| Horny Layer | 58 | Keratosis Follicularis | 67 |
| | | Keratosis Senilis | 67 |

| | |
|---|----|
| Keratosis Solaris | 67 |
| <hr/> | |
| L | 69 |
| Lacunae | 69 |
| Lagoon-like Structures | 69 |
| Lagoons | 69 |
| Large Blue-gray Ovoid Nests | 69 |
| Lattice-like Pattern | 69 |
| Leaf-like Areas | 70 |
| Lentigo Maligna and Lentigo Maligna | |
| Melanoma | 71 |
| Lentigo Senilis | 71 |
| Lentigo Simplex | 71 |
| Lesion Surrounded by Gray Streaks | 72 |
| Leukoderma Acquisitum Centrifugum | 72 |
| Lichen Planus | 72 |
| Lichen Planus-like Keratosis | 72 |
| Lichenoid Actinic Keratosis | 72 |
| Linear-Irregular Vessels | 73 |
| Liver Spot | 73 |
| Lupus Erythematosus | 73 |
| Lupus Erythematosus Chronicus Discoides .. | 73 |
| Lymphangioma | 73 |
| <hr/> | |
| M | 75 |
| Malignant Melanoma | 75 |
| Malignant Melanoma and Dysplastic Nevi, | |
| ELM Scoring System | 75 |
| Malignant Melanoma, Cutaneous Metastases | 76 |
| Malignant Melanoma Metastases: Surface | |
| Microscopy Features | 77 |
| Malpighian Rete | 78 |
| Maple-leaf-like Areas | 78 |
| Maple-leaf-like Structures | 78 |
| Marks Sign | 78 |
| Melanin | 78 |
| Melanin Pigmentation | 78 |
| Melanocytes | 78 |
| Melanocytic Algorithm for Differentiating | |
| in Pigmented Lesions | 78 |
| Melanoma Cell Infarct | 79 |
| Melanocytic Nevus with Irregular Architecture | 79 |
| Melanodermitis | 79 |

| | |
|---|----|
| Melanoma in Association with Melanocytic | |
| Nevus | 79 |
| Melanoma with Marked Regression | 79 |
| Melanophage | 80 |
| Melanosis | 80 |
| Melanosis Neviformis | 80 |
| Melanosomes | 80 |
| Melasma | 80 |
| Menzies' Method | 80 |
| Menzies' Sign | 80 |
| Metastatic Malignant Melanoma | 80 |
| Micro-Hutchinson's Sign | 80 |
| Microscopic Longitudinal Grooves, Nails | 80 |
| Microscopic Ovoid Blood Lakes | 81 |
| Miescher's Nevus | 81 |
| Milia-like Cysts | 81 |
| Milky-red Areas | 81 |
| Milky-red Globules | 82 |
| Molluscum Contagiosum | 82 |
| Moth-eaten Border | 82 |
| Mountain and Valley Pattern | 82 |
| Mucosal Melanocytic Macule or Papule | 82 |
| Mulberry-like Aspect | 83 |
| Mulberry-like Structure | 83 |
| Multicomponent Pattern | 83 |
| Multifocal Hyper-/Hypopigmented Pattern .. | 83 |
| Multiple Blue-gray Dots (Granules) | 84 |
| Multiple Blue-gray Globules | 85 |
| Multiple Blue-gray Ovoid Nests | 85 |
| Multiple Brown Dots | 85 |
| Multiple Brown Globules | 85 |
| Multiple Colors | 85 |
| Multiple Grayish Patches | 86 |
| <hr/> | |
| N | 87 |
| Nailfold Capillaries, Alterations | 87 |
| Nailfold Capillaries, Normal Structure | 87 |
| Negative Network | 88 |
| Neighborhood Sign | 88 |
| Network Holes | 88 |
| Network Irregularity | 88 |
| Network Lines | 89 |
| Network Patches, Dark | 89 |
| Network Patches, Light | 89 |
| Nevus Cell | 89 |
| Nevus Spilus | 89 |
| Nodular Malignant Melanoma | 90 |

| | | | |
|--|----|--|-----|
| Non-specific Pattern | 90 | Plaster-of-Paris-like Lacunae | 98 |
| Normal Skin Surface | 90 | PN | 98 |
| <hr/> | | | |
| O | 91 | Polymorphic Angiectatic Base Pattern | 98 |
| Old-age Spot | 91 | Polymorphous Vessels | 99 |
| Orthokeratosis | 91 | Polypoid Malignant Melanoma | 99 |
| Ovoid Blood Lakes | 91 | Polythelia | 99 |
| Ovoid Nests | 91 | Porokeratosis | 99 |
| <hr/> | | | |
| P | 93 | Prickle Cell Layer | 100 |
| Pagetoid Malignant Melanoma | 93 | Proliferation Hyperkeratosis | 100 |
| Palms and Soles | 93 | Prominent and Irregular Network | 100 |
| Papillary Layer | 93 | PRP | 100 |
| Papillomatous or Dome-shaped Melanocytic Nevus | 93 | Pseudobroadened Network | 100 |
| Parakeratosis | 93 | Pseudofollicular Openings | 100 |
| Parallel Furrow Pattern | 94 | Pseudohorn-cysts | 100 |
| Parallel Ridge Pattern | 94 | Pseudohorn-like Cysts | 100 |
| Parallel Striae | 94 | Pseudomelanoma | 100 |
| Patchy Network Pattern | 95 | Pseudonetwork | 100 |
| Peppering | 95 | Pseudopods | 101 |
| Perifollicular Circular Gray-blue/Gray-black Pigmentation | 95 | Pseudostreaks | 102 |
| Perifollicular Pigment Changes | 95 | Pseudotrabeculae of Blue-gray Granules | 102 |
| Perifollicular Rim of Hyperpigmentation | 95 | Pseudotrabeculae of Melanophages | 102 |
| Peripheral Black Dots | 95 | Psoriasis and Spongiotic Dermatitis | 102 |
| Peripheral Brown Dots | 96 | Psoriatic Oil Spot | 102 |
| Peripheral Erythema | 96 | Purpuric Lesions | 102 |
| Peripheral Hypopigmented Pattern | 96 | <hr/> | |
| Peripheral Network with Central Hyperpigmentation | 96 | R | 105 |
| Peripheral Network with Central Hypopigmentation | 96 | Rabinovitz Sign | 105 |
| Perivascular Melanophages | 97 | Radial Streaming | 105 |
| Persistent Nevi | 97 | Radial Symmetrical Streaks | 106 |
| Pigment Globules | 97 | Recurrent (Persistent) Nevus | 106 |
| Pigment Network | 97 | Red Corona | 106 |
| Pigmentation | 97 | Red Lagoons | 107 |
| Pigmented Hairy Epidermal Nevus | 97 | Red Parallel Ridge Pattern | 107 |
| Pigmented Skin Lesions on Palms and Soles .. | 97 | Red-blue Areas | 107 |
| Pilosebaceous Unit | 98 | Reed Nevus | 107 |
| Pinpoint Vessels | 98 | Regressing Malignant Melanoma | 107 |
| Pityriasis Lichenoides | 98 | Regression Pattern | 107 |
| | | Regression Structures | 107 |
| | | Regressive Areas | 108 |
| | | Rete Ridges | 108 |
| | | Retention Hyperkeratosis | 108 |
| | | Reticular Network | 108 |
| | | Reticular Pattern | 108 |
| | | Reticular–Homogeneous Pattern | 108 |
| | | Reticulo-globular Pattern | 109 |
| | | Rhexis Bleeding | 109 |
| | | Rhomboidal Structures | 109 |

Rope–Ladder Pattern 109
 Rosacea-like Dermatitis 109
 Ruby Spot 109

S 111

Saccular Pattern 111
 Satellitosis 112
 Scabies 112
 Scar-like Depigmentation 112
 Scleroderma 113
 Scleroderma Pattern 113
 Sebaceous Gland Follicle 113
 Sebaceous Gland Hyperplasia 113
 Sebaceous Hyperplasia 113
 Seborrheic Keratoses 113
 Seborrheic Verruca 115
 Seborrheic Wart 115
 Segmental Lentiginosis 115
 Senile Lentigo 115
 Sensitivity 115
 Septa 115
 Seven-point Checklist 115
 Single Color 115
 Skin of the Palms and Soles 116
 Slate-gray Dots or Granules 116
 Slate-gray Ovoid or Larger Areas 116
 Slate-gray Pseudopods 116
 Slate-gray Remnants of a Network 116
 Slate-gray Reticular Pattern 116
 Small-diameter Melanocytic Lesions,
 Differential Diagnosis 116
 Solar Lentigo 117
 Soyer Sign 117
 Specificity 117
 Spindle Cell Nevus 118
 Spinous Layer 118
 Spitz Nevus 118
 Spoke-wheel-like Structures 119
 Squamous Cell Carcinoma 119
 Squamous Cell Carcinoma in Situ 120
 Starburst Pattern 120
 Steel-blue Areas 121
 Stratum Basale 121
 Stratum Corneum 121
 Stratum Granulosum 121
 Stratum Malpighii 122

Stratum Papillare 122
 Stratum Reticulare 122
 Stratum Spinosum 122
 Streaks 122
 Structureless Areas 122
 Subungual Hemorrhage 122
 Subungual Melanocytic Nevus 122
 Subungual Melanoma 123
 Sunburn Lentigo 123
 Superficial Spreading Melanoma 123
 Supernumerary Nipple 123
 Sutton Nevus 124
 Symmetric Pigmentation Pattern 124

T 125

Tack Phenomenon 125
 Target Globules 125
 Targetoid Pattern 125
 Telangiectasia 126
 Terminal Hair Follicle 126
 Three-point Checklist 126
 Total Dermoscopy Score 126
 Trabeculae of Melanophages 126
 Tree-like Branching 127
 Tree-like Telangiectasis 127
 Triangular Structure 127

U 129

Unclassified Pattern 129
 Unna’s Nevus 129
 Unstructured Areas with Peripheral
 Collections of Gray-blue/Purple Granules 129
 Urticarial Vasculitis 129

V 131

Vascular Lobules 131
 Vascular Patterns 131
 Vascular Structures in Skin Tumors 131

| | |
|------------------------------------|-----|
| Vellus Hair Follicles | 131 |
| Verruca Seborrhoeica Senilis | 131 |
| Vital Histology | 131 |

| | |
|----------------|-----|
| W | 133 |
|----------------|-----|

| | |
|---------------------------------------|-----|
| White and Blue Areas | 133 |
| White Scar-like Areas | 133 |
| Whitish- or Bluish-Opaque Septa | 133 |
| Wickham's Striation Phenomenon | 133 |

| | |
|-------------------|-----|
| Wobble Sign | 133 |
|-------------------|-----|

| | |
|----------------|-----|
| Z | 135 |
|----------------|-----|

| | |
|--------------------------|-----|
| Zonal Architecture | 135 |
|--------------------------|-----|

| | |
|-------------------------|-----|
| References | 137 |
|-------------------------|-----|