

Contents

Chapter 1.

Agent-based intelligent information dissemination in dynamically changing environments

H. Sevay and C. Tsatsoulis

| | | |
|-------|---|----|
| 1 | Introduction | 1 |
| 2 | Overview of the Anticipator | 4 |
| 3 | The Anticipator in an information dissemination system..... | 5 |
| 4 | Profile agents | 6 |
| 4.1 | Profile variable definitions | 7 |
| 4.2 | Instantiation rules..... | 7 |
| 4.3 | Information requests | 8 |
| 4.4 | Event rules | 9 |
| 5 | Profile instantiation | 9 |
| 6 | Parameterized information requests | 12 |
| 7 | Event monitoring agents..... | 14 |
| 7.1 | Event types..... | 14 |
| 7.1.1 | Time-driven events | 14 |
| 7.1.2 | Data-driven events | 15 |
| 7.2 | Time-driven event monitoring agents..... | 16 |
| 7.3 | Data-driven event monitoring agents..... | 17 |
| 8 | An example..... | 18 |
| 9 | Related work..... | 21 |
| 10 | Future work | 23 |
| 11 | Conclusions | 24 |
| | Acknowledgments | 25 |
| | References | 25 |

Chapter 2.

Automating human information agents

S. Franklin

| | | |
|---|-----------------------------------|----|
| 1 | Human information agents | 27 |
| 2 | Autonomous agents | 29 |
| 3 | Global workspace theory | 30 |
| 4 | “Conscious” software agents | 32 |
| 5 | “Conscious” Mattie | 32 |

| | | |
|----------|-------------------------------|-----------|
| 6 | IDA | 37 |
| 6.1 | Perception | 38 |
| 6.2 | Associative memory | 39 |
| 6.3 | “Consciousness” | 41 |
| 6.4 | Action selection | 42 |
| 6.5 | Constraint satisfaction | 45 |
| 6.6 | Deliberation in action | 46 |
| 6.7 | Voluntary action | 49 |
| 6.8 | Language generation..... | 52 |
| 7 | Conclusions | 53 |
| | References | 54 |

Chapter 3.

Knowledge robots for knowledge workers: self-learning agents connecting information and skills

J. Hasebrook, L. Erasmus, and G. Doebern-Henisch

| | | |
|----------|--|-----------|
| 1 | Introduction | 59 |
| 2 | If it works, it's not AI..... | 62 |
| 3 | The artificial brain | 65 |
| 4 | The artificial body | 75 |
| 5 | The artificial environment..... | 76 |
| 6 | Conclusion | 78 |
| | References | 79 |

Chapter 4.

Ontologies in Web intelligence

N. Zhong

| | | |
|----------|--|-----------|
| 1 | Introduction | 83 |
| 2 | Representation and categories of ontologies | 84 |
| 3 | Ontologies for Web intelligence..... | 86 |
| 3.1 | The roles of ontologies | 86 |
| 3.2 | Ontology languages | 89 |
| 4 | Automatic construction of ontologies | 90 |
| 4.1 | Text classification..... | 91 |
| 4.2 | Generation of ontology | 93 |
| 4.3 | Refinement of ontology | 96 |
| 5 | Conclusions | 97 |
| | Acknowledgment..... | 97 |
| | References | 97 |

Chapter 5.

Software agents for Internet-based systems and their design

H.H. Pham

| | | |
|-------|--|-----|
| 1 | Introduction | 101 |
| 2 | Principles of Internet agent-based systems..... | 103 |
| 2.1 | Internet-based components | 103 |
| 2.2 | Agent-based components..... | 104 |
| 2.3 | Internet-agent integration..... | 105 |
| 3 | Classifications of Internet agent-based systems | 107 |
| 3.1 | Task paradigm | 107 |
| 3.2 | Agent type paradigm..... | 108 |
| 3.3 | Architecture paradigm | 110 |
| 4 | Communication and coordination in Internet agent-based systems | 113 |
| 5 | Procedures and technologies for designing Internet agent-based systems | 118 |
| 6 | Internet agents for system design | 120 |
| 7 | Case studies | 123 |
| 7.1 | An IAS for inventory control..... | 123 |
| 7.1.1 | Inventory management problem and its solution..... | 123 |
| 7.1.2 | Build IAS architecture | 125 |
| 7.1.3 | Define computing platform..... | 127 |
| 7.1.4 | Design agents | 128 |
| 7.1.5 | Build communication system..... | 129 |
| 7.1.6 | Coordinate components..... | 129 |
| 7.1.7 | Analyze and evaluate IAS | 130 |
| 7.2 | An IAS for E-marketplace | 131 |
| 7.2.1 | E-marketplace problem with special focuses and its solution..... | 132 |
| 7.2.2 | Build IAS architecture | 132 |
| 7.2.3 | Define computing platform..... | 133 |
| 7.2.4 | Design agents | 134 |
| 7.2.5 | Build communication system..... | 138 |
| 7.2.6 | Coordinate components..... | 139 |
| 7.2.7 | Analyze and evaluate IAS | 140 |
| 8 | Conclusions | 142 |
| | Acknowledgments | 142 |
| | References | 142 |

Chapter 6.

Compositional design and maintenance of broker agents

C.M. Jonker and J. Treur

| | | |
|-------|--|-----|
| 1 | Introduction | 149 |
| 2 | Electronic commerce and brokering..... | 151 |
| 3 | Compositional design of the generic broker agent | 152 |
| 3.1 | Compositional design of multi-agent systems | 152 |
| 3.1.1 | Process composition..... | 152 |
| 3.1.2 | Knowledge composition | 153 |
| 3.1.3 | Relation between process composition and knowledge composition | 154 |
| 3.2 | Design of the generic broker agent | 154 |
| 4 | Generic and domain specific knowledge..... | 157 |
| 4.1 | Agent specific task: determine proposals | 157 |
| 4.2 | Agent interaction management..... | 158 |
| 4.2.1 | Incoming communication | 158 |
| 4.2.2 | Outgoing communication..... | 160 |
| 4.3 | Own process control | 161 |
| 4.4 | World interaction management..... | 162 |
| 4.5 | Maintenance of world and maintenance of agent information | 162 |
| 5 | The behavior | 162 |
| 5.1 | Basic functionalities depending on the agent's knowledge .. | 163 |
| 5.2 | Reactive, pro-active, and other forms of behavior | 165 |
| 6 | Maintenance by communication..... | 167 |
| 6.1 | Communication of maintenance knowledge..... | 167 |
| 6.2 | Controlling maintenance in own process control | 168 |
| 7 | Discussion..... | 169 |
| | Acknowledgments | 170 |
| | References | 170 |

Chapter 7.

Collective behavior evolution in a group of cooperating agents

J. Liu and J. Wu

| | | |
|-------|------------------------------------|-----|
| 1 | Introduction | 173 |
| 1.1 | Related work..... | 174 |
| 1.1.1 | Ant systems | 174 |
| 1.1.2 | Collective behavior learning | 174 |

| | |
|--|-----|
| 1.1.3 Application of genetic algorithms in robotics | 176 |
| 1.2 The organization of the chapter | 177 |
| 2 Problem statement | 178 |
| 2.1 What is the collective behavior of an ant system? | 178 |
| 2.2 What is group behavior learning? | 179 |
| 3 The proposed approach..... | 180 |
| 3.1 The basic ideas..... | 180 |
| 3.2 The ants..... | 181 |
| 3.3 Performance criterion for collective object-moving | 181 |
| 3.4 Evolving a collective object-moving behavior | 181 |
| 4 Collective object-moving by applying repulsive forces | 182 |
| 4.1 A model of artificial repulsive forces | 182 |
| 4.2 Moving force and the resulting motion of an object..... | 184 |
| 4.3 Chromosome representation | 185 |
| 4.4 Fitness function..... | 186 |
| 4.5 Experiments with simulated ants | 187 |
| 4.5.1 Task environment..... | 187 |
| 4.5.2 Simulation results..... | 187 |
| 4.5.3 Generation of a collective moving behavior | 189 |
| 4.5.4 Adaptation to new goals..... | 189 |
| 4.5.5 Discussions..... | 191 |
| 5 Collective object-moving by exerting external contact forces and torques..... | 193 |
| 5.1 Interaction between three ants and an object | 193 |
| 5.2 Case 1: moving a round object | 194 |
| 5.2.1 Moving position and direction | 194 |
| 5.2.2 Moving force and torque | 194 |
| 5.3 Case 2: Moving a square object | 195 |
| 5.3.1 The coordinate system | 195 |
| 5.3.2 Moving force and torque | 196 |
| 5.4 Chromosome representation | 196 |
| 5.5 Fitness functions | 197 |
| 5.6 Experiments with simulated ants | 198 |
| 5.6.1 Task environment..... | 198 |
| 5.6.2 Adaptation to new goals..... | 198 |
| 5.6.3 Simulation results..... | 198 |
| 5.6.4 Adaptation to dynamically changing goals | 205 |
| 5.6.5 Discussions..... | 208 |
| 6 Conclusions | 210 |

| | |
|-----------------------|-----|
| Acknowledgments | 212 |
| References | 213 |

Chapter 8.

Applications of information agent systems

M. Klusch, H.-J. Bürckert, P. Funk, A. Gerber, and C. Russ

| | |
|--|-----|
| 1 Introduction | 217 |
| 2 Holonic agents for telematics | 220 |
| 2.1 TELETRUCK – a dispatch support system | 220 |
| 2.2 TeleService – mobile agents for remote applications | 222 |
| 3 CASA: agents for mobile integrated commerce in forestry and agriculture | 225 |
| 3.1 Motivation..... | 225 |
| 3.2 CASA agents and services | 226 |
| 3.2.1 Holonic agent system of the CASA ITN | 226 |
| 3.2.2 Agent-based services of the CASA ITN | 228 |
| 3.3 Application scenarios..... | 229 |
| 3.3.1 Mobile timber sales: services, interactions, and agents .. | 229 |
| 3.3.2 Relevant holonic agents in the MHS scenario | 231 |
| 3.3.3 Implementation | 231 |
| 4 MAS-R/3: a multi-agent coordination infrastructure for retail supply webs | 232 |
| 4.1 Motivation..... | 232 |
| 4.2 The supply web application domain | 233 |
| 4.3 <i>Agentification of supply web entities</i> | 235 |
| 4.4 Warehouse agents | 236 |
| 4.5 Supply web coordination | 236 |
| 4.5.1 Coordination policies | 236 |
| 4.5.2 The supply web coordination server | 237 |
| 4.5.3 Market-based supply web coordination mechanisms .. | 238 |
| 4.6 Future work on MAS-R/3 | 239 |
| 5 Agent-based support of software repositories | 239 |
| 5.1 Motivation..... | 239 |
| 5.2 Domain characteristics and system requirements | 240 |
| 5.2.1 The repository REPTIL..... | 242 |
| 5.2.2 Archive-based agent in the development environment.... | 242 |
| 5.2.3 The agent in the REPTIL environment | 243 |
| 5.3 The agent-based approach | 244 |
| 5.3.1 Agents at the REPTIL site | 244 |

| | |
|---|-----|
| 5.3.2 Agents at the archiving server..... | 244 |
| 5.4 Implementation details..... | 245 |
| 5.5 Future work on REPTIL | 245 |
| Acknowledgments | 246 |
| References | 246 |

Chapter 9.

The use of virtual worlds and animated personas to improve healthcare knowledge and self-care behavior: the case of the Heart-Sense game

B.G. Silverman, J. Holmes, S. Kimmel, C. Branas, D. Ivins, R. Weaver

| | |
|---|-----|
| 1 Introduction | 250 |
| 1.1 Behavioral and knowledge issues in healthcare | 250 |
| 1.2 Role for interactive learning systems in the national health picture | 251 |
| 1.3 Overview of game simulators and virtual personas..... | 251 |
| 1.4 Rationale for using the selected domain | 253 |
| 2 Pedagogical plan..... | 254 |
| 2.1 Behavioral theory as applied to delay in seeking care for heart attack symptoms | 254 |
| 2.2 Instructionist vs. constructivist pedagogy..... | 257 |
| 2.3 The engage-instruct-construct-persist training plan | 258 |
| 3 Interactive learning systems and virtual world..... | 260 |
| 3.1 The case base | 261 |
| 3.2 The simulator | 262 |
| 3.3 The graphical user interface..... | 263 |
| 4 Animated personas and emotive-cognitive architecture..... | 264 |
| 4.1 Affect theory and emotive drives | 265 |
| 4.2 Merging emotions into higher affect to support cognition | 267 |
| 4.3 Task, plan, and decision processor | 269 |
| 4.4 Behavior generator..... | 270 |
| 5 Usage results..... | 271 |
| 6 Evaluation of results and next steps | 276 |
| 7 Conclusion and next steps | 286 |
| 7.1 Contributions to date..... | 286 |
| 7.2 Next steps..... | 288 |
| Acknowledgments | 288 |
| References | 288 |

Chapter 10.

Using agents to build a practical implementation of the INCA (Intelligent Community Alarm) system

M. Beer, W. Huang, and A. Sixsmith

| | | |
|-------|---|------------|
| 1 | Introduction | 295 |
| 2 | Rationale..... | 297 |
| 3 | Related work..... | 298 |
| 4 | Theoretical approach | 299 |
| 4.1 | The problem area addressed | 300 |
| 4.1.1 | Developing an individual care plan | 302 |
| 4.1.2 | Positive care | 302 |
| 4.1.3 | Emergency support | 304 |
| 4.2 | Care management | 305 |
| 5 | The design of the conversation classes..... | 307 |
| 6 | The benefits of using agents for INCA..... | 311 |
| 7 | Constructing the demonstrator | 313 |
| 7.1 | Developing conversation class model using UML | 313 |
| 7.2 | Phases of the ZEUS design methodology..... | 314 |
| 7.3 | User interface design | 320 |
| 8 | Implementation..... | 322 |
| 8.1 | The agent realization process..... | 322 |
| 8.2 | Implementing the graphical user interfaces | 323 |
| 9 | Further work | 323 |
| 10 | Conclusions | 325 |
| | Acknowledgments | 325 |
| | References | 326 |
| | Index | 329 |
| | List of contributors..... | 333 |